

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A system for use with a cellular phone that provides notification of an incoming call, said system comprising:

a sensing device that is operable to be attached to said cellular phone that provides communication signals indicative of an incoming call, wherein said sensing device is an autonomous sensing device; and

a remote communication device configured to receive said communication signals, wherein said communication device is configured to provide notification signals to a user dependent upon said received communication signals.

2. (original) The system of claim 1 wherein said remote communication device includes an amplifier and a speaker, wherein said notification signals are audible notifications.

3. (original) The system of claim 1 wherein said remote communication device includes a vibrating device and a source of electrical energy, wherein said notification signals are vibrational notifications.

4. (original) The system of claim 1 wherein said remote communication device includes a light emitting device and a source of electrical energy, wherein said notification signals are light-emitted notifications.

5. (original) The system of claim 1 wherein said remote communication device includes a display device and a source of electrical energy, wherein said notification signals are text notifications.

6. (cancelled).

7. (currently amended) The system of claim ~~1~~ 14 wherein said sensing device directly communicates with said cellular phone to determine when said incoming call occurs.

8. (original) The system of claim 1 wherein said sensing device and said remote communication device wirelessly communicate.

9. (original) The system of claim 8 wherein said wireless communication is a one-way communication from said sensing device to said remote communication device.

10. (original) The system of claim 8 wherein said wireless communication is a two-way communication between said sensing device and said remote communication device.

11. (currently amended) The system of claim 1 wherein said sensing device and said remote communication device communicate through ~~an~~ a wire-based extension.

12. (original) The system of claim 11 wherein said wire-based communication is a one-way communication from said sensing device to said remote communication device.

13. (original) The system of claim 11 wherein said wire-based communication is a two-way communication between said sensing device and said remote communication device.

14. (original) A system for use with a cellular phone that provides notification of an incoming call, said system comprising:

a sensing device that is operable to be attached to said cellular phone that provides communication signals indicative of an incoming call; and

a remote communication device configured to receive said communication signals, wherein said communication device is configured to provide notification signals that are only light-based and said notification signals are dependent upon said received communication signals.

15. (new) The system of claim 1, wherein said autonomous sensing device includes a vibrational sensor.

16. (new) The system of claim 1, wherein said autonomous sensing device includes a vibrational sensor, said communication signals are provided based on said vibrational sensor sensing vibrations of said cellular phone, and said notification signals are light-based.

17. (new) The system of claim 1, wherein said autonomous sensing device includes a vibrational sensor, said communication signals are provided based on said vibrational sensor sensing vibrations of said cellular phone, and said notification signals are audible.

18. (new) The system of claim 1, wherein said autonomous sensing device includes a vibrational sensor, said communication signals are provided based on said vibrational sensor sensing vibrations of said cellular phone, and said notification signals are tactile.

19. (new) The system of claim 1, wherein said autonomous sensing device includes a vibrational sensor, said communication signals are provided based on said vibrational sensor sensing vibrations of said cellular phone, and said vibrational sensor is operable to determine different types of vibrations of said cellular phone.

20. (new) The system of claim 1, wherein said autonomous sensing device includes a vibrational sensor, said communication signals are provided based on said vibrational sensor sensing vibrations of said cellular phone, said vibrational sensor is operable to determine different types of vibrations of said cellular phone, and said vibrational sensor is operable to provide a different communication signals for each one of said different types of determined vibrations.

21. (new) The system of claim 1, wherein said autonomous sensing device includes a vibrational sensor, said communication signals are provided based on said vibrational sensor sensing vibrations of said cellular phone, said vibrational sensor is operable to determine different types of vibrations of said cellular phone, and said vibrational sensor is operable to provide a different

communication signals for each one of said different types of determined vibrations.

22. (new) The system of claim 1, wherein said autonomous sensing device includes a light sensor.

23. (new) The system of claim 1, wherein said autonomous sensing device includes a light sensor and said communication signals are provided based on said light sensor sensing light emitted from said cellular phone.

24. (new) The system of claim 1, wherein said autonomous sensing device includes a light sensor, said communication signals are provided based on said light sensor sensing light emitted from said cellular phone, and said light sensor is operable to determine different types of light emitted from said cellular phone.

25. (new) The system of claim 14, wherein said sensing device is an autonomous sensing device.

26. (new) The system of claim 14, wherein said sensing device and said remote communication device communicate through a wire-based extension.

27. (new) The system of claim 14, wherein said sensing device and said remote communication device communicate wirelessly.

28. (new) The system of claim 14, wherein said sensing device includes a battery.

29. (new) The system of claim 14, wherein said remote communication device includes a battery.

30. (new) The system of claim 14, wherein said remote communication device includes a first battery and said sensing device includes a second battery.

31. (new) A system comprising:  
a cellular phone that provides notification of an incoming call; and

a remote communication device configured to determine said notification of said incoming call, wherein said remote communication device is configured to provide notification signals, dependent on said notification of said incoming call, that are only light-based.

32. (new) The system of claim 31, wherein said remote communication device determines said notification of said incoming call wirelessly.

33. (new) The system of claim 31, wherein said notification signals that are only light based are provided by an LED.

34. (new) The system of claim 31, wherein said remote communication device includes a battery.